

#### October 2021

A special report from Connected Voice Haref **ConnectedVoice.org.uk** 



# **Contents**

Introduction	4
Methods	8
Things to remember	9
Results	10
Demographics	10
Mental health knowledge, awareness, and coping	13
Discussing mental health	14
Supporting others	15
Impact of lockdown /mental health in recent years	16
Familiarity with mental health services	17
Use of mental health services	18
Cultural awareness of mental health services	20
Recommendations	21
References	24



# **Acknowledgements**

We would like to thank Sam Bray and Keith Gibson for providing the peer research training and supporting us as we undertook this research project. We thank Hayley Cooley from First Step, Alessandra Mondin from Rainbow Home, Lai Yee Tsang from West End Friends, and Toni Harvey from Riverside Community Health Project for learning alongside the researchers and contributing to all levels of this project.

Thank you to Jean Matovu for creating the beautiful art for this report.











#### Research Team:

Alessandra Mondin, Asma, Carrie Rosenthal, Hayley Cooley, Huda Shennib, Jakarin Ali, Jean Matovu, Keith Gibson, Kuveri Katjangua, Lai Yee Tsang, Samuel Bray, Saima Arshad Mahmood, Shaiesta Qureshi, Steven Mutungwazi, Toni, Uzma

# Introduction

This report looks at knowledge, understanding, and thoughts about mental health and mental health services among ethnically minoritised communities in Newcastle upon Tyne, United Kingdom. Newcastle is a city in the North East of England. In Newcastle, around 11% of the population are from ethnically minoritised communities and this rises to 24% among school-age children (1). The 2O21 census data is not yet released but it is anticipated that these numbers have increased.

This project was started after almost a year of living with the pandemic, and ran from January to June 2021. Although the focus of the research was not specifically about COVID-19, it is impossible to talk about mental health in this time without talking about the mental health impacts of the pandemic, quarantines, illness, death, financial difficulties, and increased health inequalities. The pandemic was on the researcher's and participant's minds throughout this project and plays a part in both the research questions and the data collected.

In the UK, minoritised groups experienced higher infection rates, hospitalisation, and death rates from COVID-19. In the first wave, Black African and Bangladeshi men ages 9-64 had five times the mortality of White men and Black African and Pakistani women had almost four times the mortality rate of White women (2). Towards the beginning of 2021, it was reported that the death rate for Black and Asian people in the UK from COVID-19 was three to four times higher than the death rate of White people (3). Financially, people from minoritised backgrounds were hit harder during the pandemic than White people. Employment rates dropped 26 times more for ethnic minority workers compared to White workers and in specific industries such as food and accommodation, job losses were significantly higher for minoritised groups (4). Ethnically minoritised groups had a greater likelihood of having their overall healthcare affected by the pandemic than White people and were more likely to say that issues with

housing made their mental health worse <sup>(5, 6)</sup>. The mental health impacts of the pandemic are yet to be fully understood but the impacts of stress, trauma, and poverty on mental health and wellbeing are well documented <sup>(7)</sup>.

Average mental distress in the UK increased during the pandemic. This increase was greater for women of all ethnicities and for men from minoritised communities compared to white British men. In the male sample, the increase in mental distress was greatest among Bangladeshi, Pakistani, and Indian men compared to White British men <sup>(8)</sup>.

For many minoritised groups, mental health services carry a certain amount of stigma <sup>(9)</sup>. Many factors have an influence on whether or not mental health services are accessed including awareness, recognition and acceptance of mental health problems, difficulty talking about mental health, and negative perceptions of mental health <sup>(10)</sup>.



Stigma and mistrust of services can also delay help-seeking, which is linked to more severe presentation at contact with services (11).

Structural racism, inequalities and discrimination disadvantage individuals from minoritised backgrounds in terms of accessing mental health services and getting good quality care <sup>(12)</sup>.

Black and Black British people face ten times higher rates of Community Treatment Order use and Black Caribbean and Black African people were over two times more likely to be admitted to the hospital compulsorily when compared to White British people (13, 14). It is important to note that these higher rates are not explained by higher rates of

serious mental illness or psychosis alone (although people from minority groups are more likely to be diagnosed with psychotic disorders<sup>(6)</sup>) but are related to perceived risk of violence, higher rates of contact with the police, lack of trusting relationships with GPs, and general inequalities <sup>(14)</sup>. Service users from minoritised backgrounds are less connected with primary mental health care services, tend to have worse outcomes with treatment, and are more likely to begin services through a criminal justice route versus through a primary health care system <sup>(15, 16)</sup>.

The way that the current mental health care system is set up also presents barriers for accessing care. Factors impacting this include long wait lines, cultural and language barriers, lack of awareness of other services among service providers, and discrimination<sup>(10)</sup>. Inpatient staff have identified lacking the skills, confidence, training, and knowledge to meet the religious and cultural needs of minoritised patients <sup>(17)</sup>.

Researchers have called for tailored services to meet the needs of different community groups. Service users, their families and communities need to be part of reshaping interventions in order to remove some of the barriers (11).

There is very little research into the experiences and thoughts about mental health in the ethnically minoritised communities in Newcastle, and even fewer projects that are designed and implemented by peer researchers who belong to these communities being studied. This project is a step towards filling that gap.

The results and recommendation from this research project should be used to inform policy around the design of mental health services and to encourage existing services to make needed changes. However, much of this project was also about speaking to community members around their own perceptions of mental health. We hope that this report provides a jumping-off point to continue discussions around mental health, and in doing so, decreases stigma and increases engagement with the development of and improvement of services.



## Why peer research?

Peer research is a research method in which members of the community being researched take part in designing, conducting, analysing, and disseminating the research. Peer researchers are able to use their insight and understanding of the community being researched to improve access to research projects for those who would not normally participate, and add a level of depth and nuance to the project that would otherwise be absent<sup>(18)</sup>.

This project was commissioned by Newcastle Healthy Futures to look into the experiences people from minoritised communities have when accessing support for mental health issues. Haref was chosen to coordinate this process because of their network and community ties. Haref recruited four organisations to work on this project.

Who was involved?

- Rainbow Home
- First Step
- Riverside Community Health Project
- West End Friends

These organisations were: Rainbow Home, First Step, Riverside Community Health Project, and West End Friends (Search). The organisations and individuals have very strong ties within their communities. Each organisation recruited two to three peer researchers from minoritised communities and also provided a member of staff to support

the researchers. Fulfilling Lives Newcastle Gateshead was brought in to facilitate a four-week course on Zoom covering the basics of doing peer research and to support the researchers throughout the project. There were nine researchers and four staff members in total.

The Zoom course covered an introduction to research, ethics and bias, survey design, interview techniques, data analysis, and reporting. Zoom was also used in the following weeks to further develop the research, analyse the data and write the report.

Online whiteboards were used to brainstorm topics, themes, and research questions. The group decided to focus on Experiences and Thoughts of Mental Health as the theme.

During this time, the issue of what to name the project arose. Some of the researchers felt that because the words 'mental health' are so stigmatising in their communities, some potential participants might immediately decide they didn't want to be part of the research after only seeing the title. We had lengthy discussions about this issue, eventually deciding for ethical reasons, and to decrease stigma around the topic, it was important to use the term 'mental health.' The group also thought it was important to both ask participants what they thought of mental health, and provide our own definition of mental health, to encourage people to think of it in a more broad, less negative sense. We agreed on the definition on the following page.



# **Methods**

117

Completed Surveys

#### **Online Surveys**

- Surveys were created by the peer research team and sent out via email, Whats-App and text
- Surveys were sent to peers, family, friends, colleagues, and others who are part of ethnic minority groups in Newcastle
- Survey was available in English and Arabic and translated back into English by a researcher
- Peer researchers supported

participants who did not speak English by translating or by filling out the survey alongside participants

- Researchers supported those without digital access by reading questions aloud and filling out survey for participants
- The survey was administered to better understand participants experience and knowledge of mental health, access to mental health services, and demographics.

13

**Interviews** 

#### **Interviews**

- Researchers opted to do 1:1 interviews as well to support the survey results and get more detailed answers
- The research team wrote 15 interview questions
- Many interviews were done in languages other than English when a participant and researcher shared a common language
- Interviews were done faceto-face, over video call, or phone call

#### **Ethical considerations**

- Due to the sensitive nature of the topic, it was important to consider the wellbeing of both researchers and participants
- Researchers were supported by staff and coordinators
- Participants were advised of any risks in advance of participation and provided

- with a list of mental health resources as well as an email contact for the research team
- The research team
   considered the ethical
   implications of recruiting
   known participants. We
   decided that knowledge
   of communities, trust, and
   personal relationships would
   increase participation and
   help decrease stigma about
   mental health

# Things to Remember

- The research was developed, conducted, and analysed by a team of peer researchers.
- The researchers surveyed and interviewed predominantly familiar peers, family, friends, and community members. Therefore the sample is not random and we make no claim that the results are representative.
- Because the researchers spoke to known participants who were willing to talk about mental health, the answers might be skewed.
- Although we spoke to people from many different ethnic backgrounds, there were very small numbers of some groups. Therefore, we avoided breaking down data into specific groups. The recommendations represent the views of many diverse groups.
- The vast majority of participants were female.
- Because the numbers of men are so small, any results where men and women are split comes with that caveat.



# Results


## **Demographics of survey participants**

Gender
85% female
14% male
2% prefer not to say

Disability Status
89% non-disabled
10% disabled
1% prefer not to say

Home Life
87% live with others
10% live alone
3% live alone part
time


#### **Ethnicity of Survey Participants**




<sup>\*</sup>Due to limitations with the survey design tool, the ethnic group heading (such as Asian/Asian British) was clickable as an option and some people chose this vs. selecting a more specific ethnicity. It is unclear whether this was purposeful or not.

## **Demographics of survey participants**

## English level of survey participants



## Age Group of Survey Participants




## **Demographics of interview participants**

#### **Interview participants**

- 13 Interviews
- Incomplete demographic information
- Majority female, non-disabled, live with others
- Identified as Arab, Asian, Asian
   British
- Most between the ages of 34-45

- Results from interviews and surveys were interwoven in the remainder of the sections
- Where necessary, results are identified as coming from either surveys or interviews
- Where interview and survey questions were the same, answers were combined in the results




## Mental Health Knowledge, Awareness, and Coping

- The majority of survey participants were familiar with common mental health disorders like depression and anxiety.
- Definitions of mental health ranged greatly.
- Some defined it as sadness, anxiety, or the inability to cope; some felt mental health was more neutral and fluctuating; others thought it was more related to wellbeing such as feeling happy, balanced, and the ability to think positively.
- For certain participants, mental health was about coping and being able to maintain ones' responsibilities while for others it was the exact opposite.
- Some participants felt that mental health meant being 'crazy.'
- Others defined mental health by listing specific mental illnesses or symptoms.
- Only a small number of people were unable to define mental health at all.

- Scared, anxious, depressed, frustrated, uneasy, not confident, hide away from the world, stressed
- To me it's a state where I can perform all of my duties of my life like work, relationship, duties of my dependants, religion, hobbies, etc. capabilities with confidence
- It means when a person is confused can't make proper decisions, lots of his behaviours are not his real natural self, can not take even his own responsibility'
- Thinking right, making the right decisions, dealing with any problem as a whole and trying to address it in the right way
- Crazy person, lunatic, out of his head!

## Activities to help mental health

What kind of activities help improve your mental health?




- In surveys, men identified fewer activities than women.
- Women were significantly more likely than males to use cooking, reading and arts & crafts to help them with their mental health.
- Men were slightly more likely to use exercise and mindfulness/wellbeing tools such as yoga to improve their mental health.
- In interviews, five people mentioned talking to God, praying, or reading the Quran as coping tools.

## Who would you talk to about your mental health? (survey question)

Contact to speak to	% Total n=116	% Female n=98	% Male n=16
Friend	62%	63%	56%
Family (daughter / husband / sister	51%	53%	31%
GP	46%	46%	50%
Colleague	14%	14%	12%
Counsellor / Therapist / Psychologist	3%	3%	0%
Teacher	3%	4%	0%
Religious Leader	3%	3%	6%
God	1%	1%	0%
No one	16%	14%	19%

\*The total represents all participants and the male and female rows represent those who specified their gender.

- Although our sample of men is limited to only 16 males, it appears that males are less likely than females to speak to friends and family.
- Interestingly, both men and women were very unlikely to speak to a counsellor about their mental health.
- Men also appear more likely to report that they will not speak to anyone about their mental health; One fifth of men said they would speak to no one.
- Women named more contacts that they would talk to compared to men.
- Older people appeared less likely to talk to a GP about their mental health



## Talking about/dealing with your own mental health

- **66** Getting to know yourself better
- Not keeping it to yourself, it gives relief
- I know what I should be doing but it is difficult, I have to wait, be patient, but this is easy to say and hard to do. For other people I can recommend few things to do, so you can talk easy but for me, it's hard to act

- In interviews, 9/13 participants clearly stated that they were comfortable speaking about their mental health.
- Participants were able to identify benefits to speaking to others about mental health.
- Those who were not comfortable talking about their mental health cited reasons such as discomfort, familial pressure not to disclose mental health issues due to fear of medical professionals, and assumptions professionals make when you don't speak English.
- Six interview participants said that they knew how to deal with their own mental health and two said that they did not.
- Participants identified ways to cope with mental health such as speaking to counsellors, GPs, talking to others, and activities.
- One participant identified knowing what to do, but finding it difficult to act.

## Supporting others with their mental health

- 12 out of 13 interviewees stated that they felt that they either knew what to say or where to direct someone struggling with their mental health
- Five people specifically mentioned that they knew services to direct people to such as the GP, or Samaritans
- Six participants described feeling confident about supporting someone through various means such as encouragement, problemsolving or kindness.
- However, four participants stated that they would want to tell someone where to go but did not know where to find help and mentioned asking organisations they are working with or googling it.

I will advise that he should be positive and try to advise positive vibes like doing a workout, running because it reduces the stress, afterwards I will advise contacting mental

health service

I don't know where are those mental health support services but we can find out if we google it


## Impact of lockdown /mental health in recent years

- For survey participants, the most common themes were fear and anxiety, depression, stress and loneliness.
- 12 interview participants stated lockdown had negatively impacted their mental health
- People were frightened to go out and of catching COVID-19. They were worried about the future, their safety, and their health.
- Hearing many people die caused us to be terrified as I am away from home and have small children, I had fear and anxiety
- Most stated that lockdown had a negative effect on their emotions. Some people mentioned gaining weight, feeling lazier, or caring less about their appearance. It was difficult to maintain physical health.
- It felt like I was in a prison with no money, we don't have anything, during the pandemic you have more time thinking about problems so everything felt worse
- As kids are growing so does the worries-want them to see successful in life. Expenditures have been rising but not the income. Jobs are getting less secure, so all these things do contribute to the mental health.


- Financial concerns were widely cited with specific concerns about community businesses and loss of income.
- There were also significant concerns related to children, both the added stress of taking care of/schooling children during quarantine and the fear of passing the virus onto children. The importance of school support became apparent.
- The children are at home all the time. I had to call school and say I am not coping you have to take them so now they are at school
- For some people, their routine hadn't changed and others were helped by friends and/or family. It was noted that those able to work from home, who were furloughed, or whose work received extra funding were not as negatively impacted by the pandemic.
- A fewer number of people found benefits to lockdown, and enjoyed having more time alone or with family.



 It seemed easier to talk about mental health when it was attached to a particular event such as the pandemic, a death in the family, financial stress, or difficulty navigating the asylum process.



### Familiarity with mental health services



\*Please note that this list of services is in no way exhaustive. This was the list of services generated by the research team and some services familiar to the participants may have been left off.

- We asked survey participants if they had heard of a list of nine mental health services.
- Around 50% of the participants were familiar with Samaritans and Mind and around 25% were familiar with Crisis.
- Fewer than 20% had heard of Talking Helps, Tyneside Women's Health, and North East Counselling Services.
- This suggests that the respondents were more familiar with information-based or crisis services, and less familiar with longer term mental health support services or more traditional counselling services.
- Notably, 30% of participants had not heard of a single one of those services.

- Five interview participants said they knew how to direct people to services but the GP, Mind, and Samaritans were the only services specifically named.
- The majority of interview participants did not know where to go to access supportthree people said they would have to google services to know where to direct someone to find help.




campaign by the government to bring more attention to this

subject

#### Use of mental health services


- Slightly fewer than one quarter of survey participants have used a mental health service previously.
- The number of people who had accessed mental health services decreased with age.
- There was significant variation in the number of people who had used services when this was broken up by ethnicity but it is important to note that the total number of participants were relatively small, and more so when broken down by ethnicity.
- Although there were very few respondents in the 18-24 age group, almost 40% of them had used mental health services while in 65+ respondents, none of them had.

Have you accessed mental health services?




## Have you used mental health services?

Ethnicity	No	Yes	% Yes	Total
Black/African/Carib- bean/Black British	9	3	25%	12
Arab	30	6	17%	36
Asian/Asian British Overall	43	17	28%	60
Bangladeshi	9	3	25%	12
Chinese	10	0	0%	13
Indian	2	2	50%	4
Pakistani	10	5	33%	15




I believe I would be able to access services to help my mental health



 When those who had not accessed mental health services were asked if they felt that they would be able to if needed, 50% felt they would be able to, 10% said they would not be able to and 40% said they didn't know.

#### Cultural awareness of mental health services





Cultural awareness was defined as, "they are knowledgeable about my religion. They understand the norms, customs, traditions, and needs of my community."

- 14% of survey participants felt strongly that services were not culturally aware while only 3% felt strongly that they were. 32% were leaning towards services not being culturally aware. 40% were neutral and 11% leaned towards yes.
- Counselling on basis of western culture may create further friction for a child for example in a household as behaviour change in child may increase the tension within that particular household
- Make it easy for those who seek help to choose the person who can understand his needs, at the same time it removes the embarrassment that he has to explain his culture to people

- Many interviewees stated that they did not know if services were culturally aware and three assumed they were not.
- They should be aware of our current situation, as we come from countries that are totally different in terms of religion, customs and tradition
- Three interview participants felt that they were culturally aware, give advice, provide interpreters, and keep data confidential
- My personal experience is positive, they did understand my needs plus I can speak English that makes a huge difference
- They need to consult with specialist services by and for racially minoritised groups

# Recommendations

### **Participant Recommendations**

#### Decrease stigma:

- Increase awareness of anonymity of services.
- Embed mental health services in other services as opposed to separate clinics.
- Avoid patients needing to explain their culture.
- Avoid label of mental health problems when appropriate.
- Clarify thresholds for use of services: you don't need to be in a crisis to access services.

# Cultural awareness / diverse practitioners

- Mental health services should develop familiarity with different local cultures and adapt their services accordingly to people's cultural needs rather than making service users assimilate.
- Increase awareness among service providers of cultural differences in understanding mental health, gender roles, family structures, cultural or religious restrictions, taboos, and traditions.
- Ensure that there are service providers from different cultural and ethnic backgrounds as well as the need for practitioners who speak multiple languages
- Interpreters should be widely available and advertised as such.

# Alternatives to more traditional services

- Offer options for services that focus on collective/community wellbeing versus only individual mental health.
   Some cultures are less focussed on the individual as the focus of intervention.
- Include family members and family therapy if the cultural norm is to deal with issues within the family.
- Provide services to family members supporting someone with mental health problems (including awareness building and information).
- Creative/holistic approaches to mental health services such as the use of social groups, entertainment groups, team building for whole families, buddy systems, and financial/housing/ education support.

## **Participant Recommendations**

#### **Community engagement**

- Increase awareness of mental health in different communities via awareness building in schools, jobs, colleges, etc., by putting literature in religious buildings, using community ambassadors, compulsory courses and more.
- Increase awareness of mental health services through targeted advertisement in community newspapers or flyers, promotion in community groups.
- Use schools to build awareness, increase conversations around mental health, and connect to services.

#### Normalise use of mental health services

- Make services more accessible or built into existing physical health systems by implementing mental health checks at annual GP appointment, putting mental health services into GP practices, or having walk-in mental health services.
- Clarify that mental health services are for anyone and everyone and should be engaged with at the onset of symptoms, not just at crisis stage.
- Decrease fear of consequences of engaging with services such as children's services become involved, hospitalisation, etc.
- Clarify impact and treatment options. Services are more than medication prescribers.

<sup>\*</sup>All recommendations came directly from comments made in either the surveys or the interviews.

#### **Researcher Recommendations**

The following recommendations were specifically highlighted by the peer research team to reflect the recommendations that they felt were the most important or additional recommendations not reflected in this research.

- More information available in multiple languages about how to contact and access services. Use of leaflets or posters.
- Reduce stigma by incorporating mental health services into other services so that service users don't have to go to a special building and be identified as in need of mental health support.
- Awareness of language used when describing mental health services to avoid further stigma.
- Increase awareness of mental health in general.
- Demystify what happens when you access mental health services.

- Make mental health services more approachable and culturally aware.
- Develop a training programme to train parents on how to deal with mental health challenges.
- Service providers could send weekly tips on mental health.
- Service providers could hold monthly sessions on mental health to reduce stigma.
- Work in schools to reduce stigmaorganisations could go into schools to give talks.
- Provide free healthy activities in communities for adults and children. Could include gardening, trips, walks, sport.

#### **Further Research Directions**

- Repeat peer research biannually or annually to track changes that might happen in the future.
- Similar research could be done to understand what the impact was on children so that parents/service providers can understand how to deal with children's challenges.

# References

- (1): <u>Statistics and intelligence</u> | Newcastle City Council
- (2): Parveen, N., Mohdin, A. & McIntyre, N. (2021, Jan 18). <u>Call to prioritise minority ethnic groups for Covid vaccines</u> | Coronavirus | The Guardian
- (3): <u>Doctors in Unite. Black and Asian deaths</u> from Covid-19 are due to poverty and racism, not genetics, vitamin D, or lifestyle. | Doctors in Unite
- (4) Inman, P. (2021, Jan 19). <u>Black, Asian and</u> minority-ethnic UK workers hit worst by Covid job cuts | Job losses | The Guardian
- (5) Maddock, J., Parsons, S., Di Gessa, G., Green, M. J., Thompson, E. J., Stevenson, A. J., ... & Katikireddi, S. V. (2021). <u>Inequalities in healthcare disruptions during the Covid-19 pandemic:</u>
  <u>Evidence from 12 UK population-based longitudinal studies</u> | medRxiv.
- (6): City Mental Health Alliance UK. Mental Health And Race In The Workplace Toolkit. (citymha.org.uk)
- (7) Public Health England. (2015, 1 April).

  Wellbeing and mental health: applying All Our
  Health | GOV.UK (www.gov.uk)
- (8) Proto, E., & Quintana-Domeque, C. (2021). . PloS one, 16(1), <u>COVID-19 and mental health</u> <u>deterioration by ethnicity and gender in the UK</u> (plos.org)
- (9) Iqbal, N. (2021). <u>Minority Mental</u>
  <u>Health: Intersections between faith and ethnicity</u>. Available at SSRN 3767398.
- (10) Memon, A., Taylor, K., Mohebati, L. M., Sundin, J., Cooper, M., Scanlon, T., & de Visser, R. (2016). <u>Perceived barriers to accessing mental health services among black and minority ethnic (BME) communities: a qualitative study in Southeast England</u>. BMJ open, 6(11), e012337.
- (11) Mantovani, N., Pizzolati, M., & Edge, D. (2017). Exploring the relationship between stigma and help-seeking for mental illness in Africandescended faith communities in the UK. Health Expectations, 20(3), 373-384.

- (12) Murray, K. (2020). <u>National Mapping of BAME Mental Health Services</u>. London: BAMEstream.
- (13) .Secretary of State for Health and Social Care and the Lord Chancellor and Secretary of State for Justice. (2021). <u>Reforming the Mental Health Act. [White paper]</u>. Crown. Reforming the Mental Health Act (publishing.service.gov.uk)
- (14) Barnett, P., Mackay, E., Matthews, H., Gate, R., Greenwood, H., Ariyo, K., ... & Smith, S. (2019). Ethnic variations in compulsory detention under the Mental Health Act: a systematic review and meta-analysis of international data. The Lancet Psychiatry, 6(4), 305-317.
- (15) Naz, S., Gregory, R., & Bahu, M. (2019).

  Addressing issues of race, ethnicity and culture in CBT to support therapists and service managers to deliver culturally competent therapy and reduce inequalities in mental health provision for BAME service users | The Cognitive Behaviour Therapist, 12.
- (16) Codjoe, L., Barber, S., & Thornicroft, G.
  (2019). <u>Tackling inequalities: a partnership between mental health services and black faith communities</u>.
- (17) Kang, K. K., & Moran, N. (2020). Experiences of inpatient staff meeting the religious and cultural needs of BAME informal patients and patients detained under the Mental Health Act 1983 | Mental Health Review Journal.
- (18) Institute for Community Studies. What is peer research? | Institute for Community Studies (icstudies.org.uk)



Contact us



Expert support services that enable voluntary, community and social enterprise organisations to set up, be sustainable and informed, achieve their objectives and come together.

connect@connectedvoice.org.uk O191 232 7445 (opt1)



Quality and cost-effective financial support services that meet the growing needs of charities, community organisations and social enterprises.

cbs@connectedvoice.org.uk O191 232 7445 (opt3)



Free professional support to individuals to help them be aware of their rights and choices, make informed decisions, advocate for themselves and facilitate their voices being heard.

advocacy@connectedvoice.org.uk 0191 235 7013



Working with communities and organisations throughout Newcastle and Gateshead to reduce health inequalities linked to ethnicity and culture.

haref@connectedvoice.org.uk O191 232 7445 (opt1)

O191 232 7445

connect@connectedvoice.org.uk



@ConnectedVoice\_



@ConnectedVoiceCharity



in @Connected Voice

**Higham House Higham Place** Newcastle upon Tyne NE18AF

#### www.ConnectedVoice.org.uk

Connected Voice is a registered charity (number 1125877) and company limited by guarantee (number 6681475) registered in England and Wales. Our registered office is as above.